CHENNAI
Testing redefined
TESTING LABORATORY PRIVATE LIMITED

CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	**CTL/CH/F-05814/2025-26 & 17.11.2025**
Sample Number	**F-05814/25-26**
Name of the Customer	**M/s. Foundit Good.,**
Address	Door No:2/122F, Vasantham Nagar, Chinnampalayam (Post), Pollachi, Coimbatore (District) - 642 001
Sample Drawn by	Customer
Sample Name	Adathodai Powder
Sample Description	**Adathodai Powder**
Sampling Location	Customer Submitted at Lab
Sample Drawn on	NA
Sample Collected by	NA
Sampling Plan & Procedure	NA
Sample Quantity	250g
Sample Condition	Good & Received in Packed Condition.
Environmental Conditions	NA
Equipment used for Sampling	NA
Sample Received on	10.11.2025
Analysis Started on	10.11.2025
Analysis Completed on	15.11.2025

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE:CHEMICAL AND BIOLOGICAL

GROUP:FOOD AND AGRICULTURAL PRODUCTS

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	Moisture	IS 1797	%	6.17
2	Total Ash (on dry basis)		%	7.44
3	Acid Insoluble Ash (on dry basis)		%	0.83

For Chennai Testing Laboratory Pvt ltd

Verified by

Authorised Signatory

P.PRITHIVIRAJ
Senior Scientist
(CHEMICAL)

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaitesting@chennaitestinglab.com www.ctllabs.in

TEST REPORT

Test Report No & Date	CTL/CH/F-05814/2025-26 & 17.11.2025

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
4	Lead as Pb	CTL/SOP/FOOD/083	mg/kg	BLQ(LOQ:0.05)
5	Arsenic as As	CTL/SOP/FOOD/088	mg/kg	BLQ(LOQ:0.02)
6	Cadmium as Cd	CTL/SOP/FOOD/083	mg/kg	BLQ(LOQ:0.05)
7	Mercury as Hg	CTL/SOP/FOOD/082	mg/kg	BLQ(LOQ:0.1)
8	Copper as Cu	CTL/SOP/FOOD/083	mg/kg	9.05

BLQ - Below Limit of Quantification; LOQ -Limit of Quantification; NMT-Not More Than.

For Chennai Testing Laboratory Pvt ltd

Verified by

Authorised Signatory

S.MUNUSAMY
SENIOR SCIENTIST
(CHEMICAL)

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India
Phone : +91-44-2250 1757 | E-mail : chennaitesting@chennaitestinglab.com www.ctllabs.in

CHENNAI
Testing redefined
TESTING LABORATORY PRIVATE LIMITED

CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/F-05814/2025-26 & 17.11.2025

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
9	*Escherichia coli*	IS 5887 (Part 1)	CFU/g	< 10
10	Coliform Count	IS 5401 (Part 1)	CFU/g	< 10
11	*Salmonella*	IS 5887 (Part 3)	Per 25g	Absent

*As Per FSS Regulations 2011

REMARKS: The Sample complies the requirement of FSS Regulations 2011 with respect to the parameters tested.
Statement of conformity is applied considering Decision rule as per CTL/QSP/16.

END OF REPORT

For Chennai Testing Laboratory Pvt ltd

Verified by

Authorised Signatory
R. JAYAVARTHANAN
Manager
(MICROBIOLOGY)

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India
Phone : +91-44-2250 1757 | E-mail : chennaitesting@chennaitestinglab.com www.ctllabs.in