

CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date CTL/CH/F-04667/2025-26 & 13.10.2025
Sample Number F-04667/25-26
Name of the Customer M/s. Foundit Good.,
Address Door No:2/122F, Vasantham Nagar, Chinnampalayam (Post),
Pollachi, Coimbatore (District) - 642 001

Sample Drawn by Customer
Sample Name Naval Seed Powder
Sample Description Naval Seed Powder
Sampling Location Customer Submitted at Lab
Sample Drawn on NA
Sample Collected by NA
Sampling Plan & Procedure NA
Sample Quantity 250g
Sample Condition Good & Received in Packed Condition.
Environmental Conditions NA
Equipment used for Sampling NA
Sample Received on 04.10.2025
Analysis Started on 04.10.2025
Analysis Completed on 09.10.2025

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE:CHEMICAL AND BIOLOGICAL

GROUP:FOOD AND AGRICULTURAL PRODUCTS

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	REQUIREMENTS*
1	Moisture	IS 1797	%	5.72	-
2	Total Ash (on dry basis)		%	3.88	-
3	Acid Insoluble Ash (on dry basis)		%	0.63	-

Heavy Metals:

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	REQUIREMENTS*
4	Lead as Pb	CTL/SOP/FOOD/083	mg/kg	BLQ(LOQ:0.25)	NMT 2.5
5	Arsenic as As	CTL/SOP/FOOD/088	mg/kg	BLQ(LOQ:0.2)	NMT 1.1
6	Cadmium as Cd	CTL/SOP/FOOD/083	mg/kg	BLQ(LOQ:0.1)	NMT 1.5
7	Mercury as Hg	CTL/SOP/FOOD/082	mg/kg	BLQ(LOQ:0.05)	NMT 1.0
8	Copper as Cu	CTL/SOP/FOOD/083	mg/kg	5.62	NMT 30.0

BLQ - Below Limit of Quantification; LOQ -Limit of Quantification; NMT-Not More Than.



Verified by

For Chennai Testing Laboratory Pvt ltd


Authorized Signatory
P.PRITHIVIRAJ
Senior Scientist
(CHEMICAL)

Page 1 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaitesting@chennaitestinglab.com www.ctllabs.in

TEST REPORT

Test Report No & Date	CTL/CH/F-04667/2025-26 & 13.10.2025
-----------------------	-------------------------------------

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	REQUIREMENTS*
9	<i>Escherichia coli</i>	IS 5887 (Part 1)	CFU/g	< 10	-
10	Coliform Count	IS 5401 (Part 1)	CFU/g	< 10	-
11	<i>Salmonella</i>	IS 5887 (Part 3)	Per 25g	Absent	-

*As Per FSS Regulations 2011

REMARKS: The Sample complies the requirement of FSS Regulations 2011 with respect to the parameters tested.
Statement of conformity is applied considering Decision rule as per CTL/QSP/16.

*****END OF REPORT*****


Verified by

For Chennai Testing Laboratory Pvt Ltd


Authorised Signatory
R. JAYAVARTHANAN
Manager
(MICROBIOLOGY)

Page 2 of 2