

TEST REPORT

Test Report No & Date	CTL/CH/F-07089/2025-26 & 02.01.2026
Sample Number	F-07089/25-26
Name of the Customer	M/s. Foundit Good.,
Address	Door No:2/122F, Vasantham Nagar, Chinnampalayam (Post), Pollachi, Coimbatore (District) - 642 001
Sample Drawn by	Customer
Sample Name	Sour Sop Leaf Powder
Sample Description	Sour Sop Leaf Powder
Sampling Location	Customer Submitted at Lab
Sample Drawn on	NA
Sample Collected by	NA
Sampling Plan & Procedure	NA
Sample Quantity	250g
Sample Condition	Good & Received in Packed Condition.
Environmental Conditions	NA
Equipment used for Sampling	NA
Sample Received on	27.12.2025
Analysis Started on	27.12.2025
Analysis Completed on	02.01.2026

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE:CHEMICAL AND BIOLOGICAL

GROUP:FOOD AND AGRICULTURAL PRODUCTS

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	REQUIREMENTS*
1	Moisture	IS 1797	%	5.21	-
2	Total Ash (on dry basis)		%	11.6	-
3	Acid Insoluble Ash (on dry basis)		%	1.08	-

Heavy Metals:

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	REQUIREMENTS*
4	Lead as Pb	CTL/SOP/FOOD/083	mg/kg	BLQ(LOQ:0.25)	NMT 2.5
5	Arsenic as As	CTL/SOP/FOOD/082	mg/kg	BLQ(LOQ:0.2)	NMT 1.1
6	Cadmium as Cd	CTL/SOP/FOOD/083	mg/kg	BLQ(LOQ:0.1)	NMT 1.5
7	Mercury as Hg	CTL/SOP/FOOD/082	mg/kg	BLQ(LOQ:0.05)	NMT 1.0
8	Copper as Cu	CTL/SOP/FOOD/083	mg/kg	9.65	NMT 30.0

BLQ - Below Limit of Quantification; LOQ -Limit of Quantification; NMT-Not More



Verified by

For Chennai Testing Laboratory Pvt Ltd


Authorised Signatory
P.PRITHIVIRAJ
Senior Scientist
(CHEMICAL)

TEST REPORT

Test Report No & Date	CTL/CH/F-07089/2025-26 & 02.01.2026
-----------------------	-------------------------------------

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	REQUIREMENTS*
9	<i>Escherichia coli</i>	IS 5887 (Part 1)	CFU/g	< 10	-
10	Coliform Count	IS 5401 (Part 1)	CFU/g	< 10	-
11	<i>Salmonella</i>	IS 5887 (Part 3)	Per 25g	Absent	-

*As Per FSS Regulations 2011

REMARKS: The Sample complies the requirement of FSS Regulations 2011 with respect to the parameters tested.

Statement of conformity is applied considering Decision rule as per CTL/QSP/16.

*****END OF REPORT*****



Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory
R. JAYAVARTHANAN
Manager
(MICROBIOLOGY)