CHENNAI
Testing redefined
TESTING LABORATORY PRIVATE LIMITED

CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	**CTL/CH/F-05262/2026-27 & 12.11.2026**
Sample Number	**F-05262/26-27**
Name of the Customer	**M/s. Foundit Good.,**
Address	Door No:2/122F, Vasantham Nagar, Chinnampalayam (Post),Pollachi, Coimbatore (District) - 642 001
Sample Drawn by	Customer
Sample Description by Customer	**Jamun Leaf Powder**
Additional Information by Customer	**NA**
Sampling Location	Customer Submitted at Lab
Sample Drawn on	NA
Sample Collected by	NA
Sampling Plan & Procedure	NA
Sample Quantity	210g
Sample Condition	Good & Received in Packed Condition.
Environmental Conditions	NA
Equipment used for Sampling	NA
Sample Received on	06.11.2026
Analysis Started on	06.11.2026
Analysis Completed on	12.11.2026

Test Results:

The above sample tested as received, and results are as follows:

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	Moisture	FSSAI 10.003 of Manual on Spices, Herbs and Condiment,Page No. 7 : 2021	%	4.73
2	Total Ash (on dry basis)	FSSAI 10.006 of Manual on Spices, Herbs and Condiment,Page No. 17 : 2021	%	6.81
3	Acid Insoluble Ash (on dry basis)	FSSAI 10.007 of Manual on Spices, Herbs andCondiments, Page No.20: 2021	%	0.79

For Chennai Testing Laboratory Pvt ltd

Verified by

Authorised Signatory
P.PRITHIVIRAJ
Head- Food and Animal Feed Division

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India
Phone : +91-44-2250 1757 | E-mail : chennaitesting@chennaitestinglab.com www.ctllabs.in

CHENNAI TESTING LABORATORY PRIVATE LIMITED
Testing redefined

CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/F-05262/2026-27 & 12.11.2026

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
4	Lead as Pb	CTL/INT/STP/RCF/007:Issue No:05,Issue date:02.01.2026	mg/kg	0.18
5	Arsenic as As		mg/kg	BLQ(LOQ:0.1)
6	Cadmium as Cd		mg/kg	BLQ(LOQ:0.025)
7	Mercury as Hg		mg/kg	BLQ(LOQ:0.05)
8	Copper as Cu		mg/kg	6.35

BLQ - Below Limit of Quantification; LOQ -Limit of Quantification; NMT-Not More Than.

For Chennai Testing Laboratory Pvt ltd

Verified by

Authorised Signatory
S.MUNUSAMY
Deputy Head
Instrumentation Division

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaitesting@chennaitestinglab.com www.ctllabs.in

CHENNAI
Testing redefined
TESTING LABORATORY PRIVATE LIMITED
CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/F-05262/2026-27 & 12.11.2026

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
9	*Escherichia coli*	IS 5887 (Part 1)	CFU/g	< 10
10	Coliform Count	IS 5401 (Part 1)	CFU/g	< 10
11	*Salmonella*	IS 5887 (Part 3)	Per 25g	Absent

END OF REPORT

For Chennai Testing Laboratory Pvt ltd

Verified by

Authorised Signatory
R.JAYAVARTHANAN
Head- Microbiology Division

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India
Phone : +91-44-2250 1757 | E-mail : chennaitesting@chennaitestinglab.com www.ctllabs.in